

Your Ecosystem, Your Rules

BLUETTI Ecosystem Series

Introducing the Ecosystem Series

True freedom isn't just off-grid — it's a seamless energy experience. With solar, RV integration, and smart accessories working in harmony, the Ecosystem Series doesn't just power your life - it transforms it.

Vehicle & RV



Outdoor







Handsfree 2 **Backpack Power Station**



Home



Power For RV Living













Power For Home Backup



RVSolar - 48V Power System

AC Power

Rated Input	5,000 W, 120 V (US/CA) 5,000 W, 230 V (EU/UK/AU)
Rated Output	5,000 W, 120 V (US/CA) 5,000 W, 230 V (EU/UK/AU)

DC Power

DCFOWE	
Rated Input	PVI/PV2:
	1,800 W Max., 12-50 V, 50 A
	Vehicle charging (via PV2):
	600 W with 12 V battery; 1,200 W with 24 V battery
Data d Outmut	1,360 W @12 V
Rated Output	1,620 W @24 V

AC+DC Power

Total Load Power	6,000 W Max
	(Varies by battery type and quantity

General

Weight	16 kg / 35.27 lbs
Dimensions (L × W × D)	450×500×159.9 mm/17.72×19.69×6.3 in
Operating Temperature	-20°C to 55°C / -4°F to 131°F
Storage Temperature	-20°C to 55°C / -4°F to 131°F
Operating Humidity	95% Max.
Certification	UL458

Battery

Capacity	5,120 Wh, 51.2 V, 100 Ah
Max Expansion	Parallel up to 24 units (122 kWh)
Battery Type	LiFePO ₄
Cycle Life	6,000+ cycles to 80% original capacity
Protection Rating	IP65
Weight	46 kg / 101.4 lbs

FridgePower

Rated Power	1,800 W, 120 V (US/CA) 1,800 W, 230 V (EU/UK/AU)
Lifting Power	3,000 W
Surge Power	3,600 W
Battery Capacity	2,016 Wh
Battery Type	LiFePO ₄
Cycle Life	4,000 cycles to 80% original capacity
Max Expansion	8,064 Wh
Idle Load	≤ 7W
UPS Switchover Time	≤ 10 ms
Dimensions (L × W × H)	350 × 580 × 75 mm / 13.8 × 22.8 × 3 in
Weight	19 kg / 41.9 lbs
Warranty	5 years

About BLUETTI

Founded in 2009, BLUETTI has been a pioneer in clean energy solutions. With over a decade of innovation and commitment to sustainability, BLUETTI has curated a diverse range of reliable products tailored for adventures, emergency backup power, and off-grid living, shaping a smarter, greener future we share.

