



TECHNOLOGY
PIONEER
IN CLEAN ENERGY



Portable Power Station


Premium Series

For Every Power-Packed Adventure




Faster Charging

- Ready to go within **1 hour** with AC Turbo Charging or PV charging
- Tap into abundant energy of the sun through **efficient PV charging**.




More Compact & Powerful

- High-density LFP** battery cells for impressive capacity
- Lifting Power** for high-wattage resistive loads like hair dryers, electric kettles, etc.



Longer Lifespan

- Reliable LFP batteries and intelligent BMS (Battery Management System) provide optimal performance and up to **10 years of lifespan**.



Higher Scalability

- Modular design** allows for flexible capacity ranging from **1.8kWh to 10kWh**, and up to 8 tailored solutions to cater to your unique power requirements.



Smarter Control

- With the intuitive **BLUETTI App**, you can monitor your power status in real time and customize your setup effortlessly, simply manage energy in the **palm of your hand**.



Dynamic Design

- The Premium series products come in vibrant orange, embodying **warmth, hope, and the full spirit of energy**.



Applications

Outdoor Activity




Emergency Relief



RV Trip




Home Backup



Workshop



Harsh Conditions



For Every Power-Packed Adventure



Premium 20

230.4Wh
300W



Premium 50

504Wh
700W



Premium 60S

504Wh
600W



Premium 80

864Wh
1,000W



Premium 150

1,440Wh
1,800W



Premium 240S

1,843Wh
2,400W



Premium 200 V2

2,073.6Wh
2,700W



Premium 200

2,304Wh
2,400W

- Excursion
- Home Backup
- Emergency Relief

- Excursion
- Home Backup
- RV Trip

- Excursion
- Home Backup
- Emergency Relief
- Wild Exploration

- Excursion
- Home Backup
- Emergency Relief

- Extended Getaway
- Home Backup
- RV Trip
- Workshop

- Extended Getaway
- Home Backup
- Outage Protection
- RV Trip
- Workshop
- Wild Exploration

- Extended Getaway
- Home Backup
- Outage Protection
- RV Trip
- Workshop
- Outdoor Food Cart

- Extended Getaway
- Home Backup
- Outage Protection
- RV Trip
- Workshop

Portable Power Station

Premium Series

Premium 20 (AC2P)

SKU: P-AC2P-EU-GY-BL-010
EAN: 6970991294532



230.4Wh | 300W

Weight	3.6 kg (7.9 lbs)
Dimensions (L × W × H)	250 × 150 × 180 mm (9.8 × 5.9 × 7.1 in)
Lifting Power	600W
Expandable Capacity	/



1* AC | 1* CarPort | 2* USB-A | 1* USB-C

Battery	LiFePo ₄
Life Cycles	3,000+
PV Input	12V~28V, 200W Max.
Bidirectional Inverter	✓
IP Grade	/
Others	MPPT, UPS, APP
Warranty	5 Years

Charging Time

AC	1.4 H (270W Max.)
Solar	1.5 H (200W Max.)
Car	1.5 H (200W Max.)
Generator	1.4 H (270W Max.)

Premium 50 (AC50P)

SKU: P-AC50P-EU-GY-BL-010
EAN: 6970991296536



504Wh | 700W

Weight	6.9 kg (15.2 lbs)
Dimensions (L × W × H)	280 × 200 × 220 mm (11.0 × 7.9 × 8.7 in)
Lifting Power	1,200W
Expandable Capacity	/



1* AC | 1* CarPort | 1* USB-A | 2* USB-C | 1* Wireless Charger

Battery	LiFePo ₄
Life Cycles	3,000+
PV Input	12V~28V, 200W Max.
Bidirectional Inverter	✓
IP Grade	/
Others	MPPT, UPS, APP
Warranty	5 Years

Charging Time

AC	1.3 H (600W Max.)
Solar	3 H (200W Max.)
Car	3 H (200W Max.)
Generator	1.3 H (600W Max.)

Premium 60S (AC60P)

SKU: P-AC60P-EU-GY-BL-010
EAN: 6970991292675



504Wh | 600W

Weight	9.6 kg (21.16 lbs)
Dimensions (L × W × H)	290 × 205 × 234 mm (11.4 × 8.1 × 9.2 in)
Lifting Power	1,200W
Expandable Capacity	2,116Wh (With 2 x B80P)



2* AC | 1* CarPort | 2* USB-A | 1* USB-C | 1* Wireless Charger

Battery	LiFePo ₄
Life Cycles	3,000+
PV Input	12V~28V, 200W Max.
Bidirectional Inverter	✓
IP Grade	IP65
Others	MPPT, UPS, APP
Warranty	6 Years

Charging Time

AC	1.3 H (600W Max.)
Solar	3 H (200W Max.)
Car	3 H (200W Max.)
Generator	1.3 H (600W Max.)

Premium 80 (AC70P)

SKU: P-AC70P-EU-GY-BL-010
EAN: 6970991294235



864Wh | 1,000W

Weight	10.7 kg (23.6 lbs)
Dimensions (L × W × H)	314 × 210 × 256 mm (12.4 × 8.2 × 10.1 in)
Lifting Power	2,000W
Expandable Capacity	power bank mode 1,670Wh (With 1 x B80P)



2* AC | 1* CarPort | 2* USB-A | 2* USB-C | 1* Wireless Charger

Battery	LiFePo ₄
Life Cycles	3,000+
PV Input	12V~58V, 500W Max.
Bidirectional Inverter	✓
IP Grade	/
Others	MPPT, UPS, APP
Warranty	5 Years

Charging Time

AC	1.5 H (950W Max.)
Solar	2.2 H (500W Max.)
Car	4.8 H (200W Max.)
Generator	1.5 H (950W Max.)

Portable Power Station

Premium Series

Premium 150 (AC180P)

SKU: P-AC180P-EU-GY-BL-010
EAN: 6970991292668



1,440Wh | 1,800W

Weight	17.0 kg (37.5 lbs)
Dimensions (L × W × H)	340 × 247 × 317 mm (13.4 × 9.7 × 12.5 in)
Lifting Power	2,700W
Expandable Capacity	power bank mode 2,246Wh (With 1 × B80P)



2* AC | 1* Car Port | 4* USB-A | 1* USB-C | 1* Wireless Charger

Battery	LiFePo ₄
Life Cycles	3,500+
PV Input	12V~60V, 500W Max.
Bidirectional Inverter	✓
IP Grade	/
Others	MPPT, UPS, APP
Warranty	5 Years

Charging Time

AC	1.5 H (1,440W Max.)
Solar	3.3 H (500W Max.)
Car	7.2 H (200W Max.)
Generator	1.5 H (1,440W Max.)

Premium 240S (AC240P)

SKU: P-AC240P-EU-GY-BL-010
EAN: 6970991294877



1,843Wh | 2,400W

Weight	33.0 kg (72.0 lbs)
Dimensions (L × W × H)	420 × 294 × 410 mm (16.5 × 11.6 × 16.1 in)
Lifting Power	3,600W
Expandable Capacity	10,443Wh



4* AC | 1* Car Port | 2* USB-A | 2* USB-C | 1* RV Port

Battery	LiFePo ₄
Life Cycles	3,500+
PV Input	11V~60V, 1,200W Max.
Bidirectional Inverter	✓
IP Grade	IP65
Others	MPPT, UPS, APP
Warranty	6 Years

Charging Time

AC	1.2 H (2,400W Max.)
Solar	1.8 H (1,200W Max.)
Car	9.2 H (200W Max.)
Generator	1.2 H (2,400W Max.)

Premium 200 V2

SKU: P-PR200V2-EU-GY-BL-010
EAN: 6970991297595



2,073.6Wh | 2,700W

Weight	24.2 kg (53.35 lbs)
Dimensions (L × W × H)	350 × 250 × 323.6 mm (13.78 × 9.84 × 12.74 in)
Lifting Power	4,050W
Expandable Capacity	/



2* AC | 1* CarPort | 2* USB-A | 2* USB-C

Battery	LiFePo ₄
Life Cycles	6,000+
PV Input	11V~60V, 1,000W Max.
Bidirectional Inverter	✓
IP Grade	/
Others	MPPT, UPS, APP
Warranty	5 Years

Charging Time

AC	1.4 H (1,800W Max.)
Solar	2.4 H (1,000W Max.)
Car	4.2 H (560W Max.)
Generator	2 H (1,200W Max.)

Premium 200 (AC200P L)

SKU: P-AC200PL-EU-GY-BL-010
EAN: 6970991294754



2,304Wh | 2,400W

Weight	28.3 kg (62.4 lbs)
Dimensions (L × W × H)	420 × 280 × 367 mm (16.5 × 11.0 × 14.4 in)
Lifting Power	3,600W
Expandable Capacity	6,604Wh (With 2 × B210P) 7,834Wh (With 2 × B300K)



4* AC | 1* Car Port | 2* USB-A | 2* USB-C | 2* Wireless Charger | 1* RV Port

Battery	LiFePo ₄
Life Cycles	3,500+
PV Input	12V~145V, 1,200W Max.
Bidirectional Inverter	✓
IP Grade	/
Others	MPPT, UPS, APP
Warranty	5 Years


Charging Time

AC	1.5 H (2,400W Max.)
Solar	2.8 H (1,200W Max.)
Car/ Lead acid Battery	12.5 H (200W Max.)
Generator	2 H (2,000W Max.)

Solar Panel

PV100D

SKU: P-PV100D-UG-NO-BL-010
EAN: 6970991296505



100W

Weight	4.9 kg / 10.8 lbs
Dimensions	Unfolded: 1,135 × 608 mm (44.7 × 23.9 in) Folded: 608 × 582.5 × 35 mm (23.9 × 22.9 × 1.4 in)
Cell Type	Monocrystalline Silicon
Cell Efficiency	Up to 23.4%

Voltage at Max. Power (Vmp)	20.5 V
Current at Max. Power (Imp)	4.9A
Open Circuit Voltage (Voc)	24.6V
Short Circuit Current (Isc)	5.8A
IP Grade	IP67
Compatibility	All BLUETTI Premium Power Stations
Warranty	12 Months

PV120D

SKU: P-PV120D-EU-BK-BL-020
EAN: 6970991295287



120W

Weight	5.36 kg (11.8 lbs)
Dimensions	Unfolded: 1,760 × 500 mm (69.3 × 19.7 in) Folded: 500 × 500 × 45 mm (19.7 × 19.7 × 1.7 in)
Cell Type	Monocrystalline Silicon
Cell Efficiency	Up to 23.4%

Voltage at Max. Power (Vmp)	20.8 V
Current at Max. Power (Imp)	6.0 A
Open Circuit Voltage (Voc)	24.6 V
Short Circuit Current (Isc)	6.6 A
IP Grade	IP67
Compatibility	All BLUETTI Premium Power Stations
Warranty	12 Months

PV200D

SKU: P-PV200D-EU-BK-BL-020
EAN: 6970991295270



200W

Weight	8.14 kg (17.9 lbs)
Dimensions	Unfolded: 2,105 × 608 mm (82.8 × 23.9 in) Folded: 585 × 608 × 45 mm (23 × 23.9 × 1.7 in)
Cell Type	Monocrystalline Silicon
Cell Efficiency	Up to 23.4%

Voltage at Max. Power (Vmp)	20.4 V
Current at Max. Power (Imp)	9.7 A
Open Circuit Voltage (Voc)	24.6 V
Short Circuit Current (Isc)	10.8 A
IP Grade	IP67
Compatibility	All BLUETTI Premium Power Stations
Warranty	12 Months

PV350D

SKU: P-PV350D-EU-BK-BL-010
EAN: TBD



350W

Weight	14.3 kg (31.5 lbs)
Dimensions	Unfolded: 2,778 × 805 mm (109.4 × 31.6 in) Folded: 805 × 736 × 45 mm (31.6 × 28.9 × 1.7 in)
Cell Type	Monocrystalline Silicon
Cell Efficiency	Up to 23.4%

Voltage at Max. Power (Vmp)	37.0 V
Current at Max. Power (Imp)	9.5 A
Open Circuit Voltage (Voc)	44.0 V
Short Circuit Current (Isc)	11.4 A
IP Grade	IP67
Compatibility	Premium 80/ Premium 150/ Premium 240S/ Premium 200
Warranty	12 Months

Expansion Battery

B80P

SKU: B80P-EU-GY-BL-00
EAN: 6970991292682



806Wh

Weight	9.9 kg (21.8 lbs)
Dimensions	290 × 207 × 204 mm (11.4 × 8.2 × 8.0 in)
Total Outlets	3
Battery	LiFePO ₄
Life Cycles	3,000+


IP Grade	IP65
Compatibility	Premium 60S / Premium 80 / Premium 150
Warranty	6 Years

Charging Time

AC Adapter	4.5 H (200W Max.)
Solar	4.5 H (200W Max.)
Car	4.5 H (200W Max.)

B210P

SKU: P-B210P-EU-GY-BL-010
EAN: 6970991294945



2,150Wh

Weight	27.9 kg (61.5 lbs)
Dimensions	417 × 282 × 270 mm (16.4 × 11.1 × 10.6 in)
Total Outlets	3
Battery	LiFePO ₄
Life Cycles	3,500+


IP Grade	IP65
Compatibility	Premium 200 / Premium 240S
Warranty	6 Years

Charging Time

AC Adapter	4.8 H (470W Max.)
Solar	4.5 H (500W Max.)
Car	10 H (200W Max.)

BlueCell 300 (B300K)

SKU: P-B300K-EU-GY-BL-010
EAN: 6970991296185



2,764.8Wh

Weight	29.5 kg (65.04 lbs)
Dimensions	525 × 327 × 209 mm (20.67 × 12.87 × 8.23 in)
Total Outlets	1
Battery	LiFePO ₄
Life Cycles	4,000+

IP Grade	IP20
Compatibility	Premium 200 / AC200MAX / AC300 / AC500
Warranty	4 Years

Charging Time

Need to Connect with BLUETTI Power Station

PV Optimizer (D40)

SKU: A-BM-D40-UG-O9V15V4
EAN: 6970991296185

	Charging Power	Max. Output Current	Max. Output Voltage	DC Input	IP Grade	Weight	Dimensions (L × W × H)	Compatibility
	400W	20 A (With Premium 200) 30 A (With Solar Panel)	Lead-acid: 14.4 V LiFePO ₄ : 14.4 V AGM / Gel: 14.7 V Calcium: 15.4 V	48 V DC Input: 45 V to 60 V DC PV / Starter--Battery Input: 12 V to 36 VDC, 20 A Max.	IP20	2.0 kg (4.4 lbs)	232.7 × 180.7 × 69.2 mm (9.2 × 7.1 × 2.7 in)	Premium 200

Charger 1 (D60L)

SKU: A-CG-D60L-UG-DC
EAN: 6970991296277

	Power	Current	Default Voltage	Voltage Range	DC Input	IP Grade	Working Temperature	Weight	Dimensions (L × W × H)
	560W	10A	27V	15V to 56V (Adjustable Via APP) (With 12V Battery) 27V to 56V (Adjustable Via APP) (With 24V Battery)	12V, 50A Max. (With 12V Battery) 24V, 25A Max. (With 24V Battery)	IP20	-20°C to 60°C (-4°F to 140°F)	0.72kg (1.587lbs)	145 × 110 × 60 mm (5.71 × 4.33 × 2.36 in)

Runtime

	Premium 20	Premium 50	Premium 60S	Premium 80	Premium 150	Premium 240S	Premium 200 V2	Premium 200
RV & Outdoor								
 Phone (10Wh)	11 Times	22 Times	25 Times	43 Times	72 Times	79 Times	92 Times	116 Times
 Portable Fridge (65W)	2.6 Hours	5.2 Hours	5.4 Hours	8.6 Hours	14.4 Hours	19.1 Hours	21.2 Hours	23.9 Hours
 Laptop (70Wh)	2 Times	4 Times	4 Times	7 Times	11 Times	14 Times	19 Times	18 Times
 Coffee Maker (1,500W)	-	-	-	-	0.8 Hours	1.0 Hour	1.1 Hours	1.2 Hours

Home Backup

 WiFi Router (7W)	12.7 Hours	23 Hours	23.7 Hours	31.4 Hours	52.4 Hours	77.6 Hours	4 Days	97.0 Hours
 TV (60W)	2.3 Hours	5 Hours	5.8 Hours	9.2 Hours	15.4 Hours	20.5 Hours	22.7 Hours	25.6 Hours
 Refrigerator (100W)	1.7 Hours	3.5 Hours	3.7 Hours	6.0 Hours	10.0 Hours	13.2 Hours	14.4 Hours	16.5 Hours

Workshop

 Blender (1,400W)	-	-	-	-	0.8 Hours	1.0 Hour	1.1 Hours	1.3 Hours
 Electric Hammer (1,000W)	-	-	-	-	1.1 Hours	1.4 Hours	1.6 Hours	1.8 Hours
 Circular Saw (1,800W)	-	-	-	-	0.6 Hours	0.8 Hours	0.9 Hour	1.0 Hour

Note: For reference only.



Contact Us