Reach Power Independence with Peace of Mind

EP900 is a residential energy storage solution designed to make your life more easier. It integrates with solar panels, allowing you to power your appliances and save money on your energy bills while enjoying constant and reliable power whenever you need it. Thanks to its modular design, including the EP900 hybrid inverter and the B500 batteries, it adapts to meet the specific needs of your household.





Slash Electricity Bills

Store free solar energy or low-price power for peak-hour use to significantly save on monthly energy costs in the long run.



Outage Protection

With just 10ms switch over time, rest assured that your essential appliances stay powered even when the grid goes down.



Energy Self-consumption

Transition into a power producer to reduce your reliance on the fluctuant grid, reclaiming control over your energy management.



Modular Design

Offer flexibility and scalability for easy expansion and customization to match your present and future needs.



Safety and Compliance

EP900 is rated NEMA 4X, coupled with a 10-year warranty and product liability insurance, ensures utmost safety and peace of mind for your home.



Portable Power Station Brand

Tst

Manufacturer of Outdoor & Home ESS

2M+

Trusted by 2,000,000+ Global Users

About BLUETTI


From the very beginning, BLUETTI has tried to stay true to a sustainable future through an array of green energy storage systems (ESS) for home, off-grid and commercial use, including power stations, solar panels, and accessories.

With over 10 years of expertise, innovation-driven development, and attentive service, BLUETTI's extensive and reliable product portfolio is ideal for outdoor adventures, emergency backup power, and off-grid living while delivering an exceptional eco-friendly experience for our homes and our world.

That's why BLUETTI has become an industry leader that makes its presence in 100+countries and is trusted by millions of customers across the globe.



Contact Us



BLUETTI EP900


Residential Energy Storage System

On-grid


Off-grid

How it Works


Standard Home Backup




Parellel Connection with ATS



Generator as Backup




AC-coupled with Micro-inverters




DATA SHEET SPECIFICATIONS

EP900









Specifications

| Configurations | 1*EP900+2*B500 | 1*EP900+3*B500 | 1*EP900+4*B500 | 2*EP900+4*B500 | 2*EP900+6*B500 | 2*EP900+8*B500 |
|---|----------------|----------------|----------------|----------------|----------------|----------------|
| Capacity | 9.9kWh | 14.8kWh | 19.8kWh | 19.8kWh | 29.7kWh | 39.6kWh |
| Output Power (BACKUP) | 7,600W | 9,00 | DOW | 15,200W | 18,00 | OOW |
| Max. Solar Input | 9,000W | | 18,000W | | | |
| Max. Input Apparent Power (Bypass + Charging) | 13.9 kVA | | 27.8 kVA | | | |
| Max. Input Continuous Current (bypass and charging) | 48A | | 96A | | | |

Warranty

EP900 Hybrid Inverter

General

| Operating Temperature | 4°F to 104°F / -20°C to 40°C |
|------------------------------------|------------------------------|
| Noise | ≤50dB(A) |
| Net Weight | 105 lbs / 48 kg |
| Cooling | Forced Air Cooling |
| Connectivity | USB / Wi-Fi / Bluetooth |
| Protection Rating | NEMA 4X / IP65 |
| PV INPUT | |
| Max. Power | 9,000W (3,000W + 6,000W) |
| MPPT Voltage Range / Rated Voltage | 150V~500V/360V |
| MPPT Channel | 2 |
| Single MPPT Input Current | 12.5A / 25A |
| Single MPPT Short Circuit Current | 15A / 3OA |
| | |

| , | |
|-------------------------------------|---|
| Dimensions | 25.0in × 12.8in × 14.6in / 636mm × 325mm × 370mm |
| Input Frequency | 60Hz |
| AC Input Current | 57A |
| Switch Over Time to Backup Power | <10ms |
| Phase | L1/L2/N/G |
| AC OUTPUT (BACKUP) | |
| Rated Power | 7,600W with 2 B500 9,000W with 3/4 B500 |
| Rated Voltage | 120V / 240V |
| Frequency | 60Hz |

10 Years

Compliances

| Grid Connections | IEEE 1547, IEEE 1547.1, Hawaiian Electric IEEE 1547.1, UL 1741 SB | |
|------------------|---|--|
| Safety | UL 1741, CSA C22.2#107.1, UL 9540 | |
| Emissions | FCC Part 15, Subpart B, ICES-003 | |
| Certificates | cETLus, FCC, IC, CEC | |

B500 Modular Battery

| Battery Chemistry | LiFePO ₄ |
|-------------------|---|
| Capacity | 4,960Wh |
| Net Weight | 127.8 lbs / 58 kg |
| Protection Grade | NEMA 4X/IP65 |
| Dimensions | 25.0in×12.8in×13.3in / 636mm×325mm×338mm |

| Compliances | |
|--------------|--|
| Safety | EN IEC 62619, UL 1973, UL 9540A, UL 9540, JIS C8715–2 |
| Emmissions | EN IEC 61000-6-3, EN IEC 61000-6-1 |
| Shipping | UN 38.3 |
| RoHs | 2011/65/EU and (EU) 2015/863 |
| Certificates | CE, CB, cETLus, FCC, IC, RCM |

^{*}Specifications are subject to change without further notice.